

1. PRODUCT NAME

Highland Collection Data Sheet

2. MANUFACTURER

StonePeak Ceramics, Inc.

314 West Superior, Suite 201

Chicago, IL 60654

Telephone: 312.506.2800 Fax: 312.335.0533

Email: <u>info@stonepeakceramics.com</u>
Website: <u>www.stonepeakceramics.com</u>

3. PRODUCT DESCRIPTION

Highland – Classic and sophisticated timeless porcelain travertine available in six popular colors. The Highland collection offers 12"x24", 18"x36", 9"x36" with trims and decorative mosaics.

Recommended Applications:

Ideally suited for commercial and residential floors and walls.

Finishes/Textures:

- Thru Color
- Honed rectified except for 12x24
- · Polished rectified

Size/thickness:

12" x 24" 1/3" nominal *(8 mm) 18" x 36" 1/3" nominal *(8 mm) 9" x 36" 1/3" nominal *(8 mm)

*denotes work size per ISO 10545-2

Recommended Grout Joint: 3/32" or greater

Grout joints of 1/8" inch or less, especially with larger format tiles or running bond patterns, may require floor flatness values in excess of the 1/4" in 10' (or 1/16" in 1.0') standard required by ANSI.

For patterns with running bond/brick joints patterns StonePeak recommends a maximum of 33% offset.

Stonepeak Ceramics Trim System

A variety of bullnose, cove base and mosaic tiles are available for complete design aesthetics.

Refer to StonePeak Ceramics Product Catalog

4. TECHNICAL DATA

| P | | | |
|-----------------------|-----------------|---------------------|-------------------|
| | ASTM Test | | StonePeak |
| Physical Properties | | Industry Standards | Results |
| | | | |
| Water Absorption | C373 | Impervious < 0.5% | ≤ 0.1% |
| Thickness Dimension | C499 | Range ±0.04 Inc. | ≤ ±0.04 Inc. |
| | | Max | |
| Facial Dimension | C499 | ± 0.25% | ≤ ±0.25% |
| T dolar Billionolori | 0.00 | 10.2070 | = ±0.2070 |
| Warpage Average | C485 | ±0.40% | $\leq \pm 0.40\%$ |
| Diagonal | | | |
| Warpage Average | C485 | ±0.40% | ≤ ±0.40% |
| Edge | 0400 | 10.4070 | ± ±0.4070 |
| | | 0.050/ | 4 0.050/ |
| Wedging Average | C502 | ± 0.25% | ≤ ±0.25% |
| Bond Strength | C482 | ≥ 50 psi | ≥ 200 psi |
| Bona Guongan | 0402 | = 00 poi | - 200 poi |
| | 0040 | > 0 = 0 !! / | |
| Breaking Strength | C648 | ≥250 lbf | ≥ 400 lbf |
| | Scratch Test | | |
| Hardness (Mohs) | (No regulated) | Range 0 -10 | ≥7 |
| Visible Abrasions | , , | | |
| Resistance for Glaze | C1027 | No Requirement | Class 4 |
| Tiles | 01027 | Range 0 – 5 | Olass 4 |
| riies | | | |
| | | No samples must | No Evidence |
| Frost Resistance | C1026 | show alterations to | Of |
| | | surface | Damage |
| Chemical Resistance | C650 | No Requirement | Class A |
| | | Range E- A | |
| Stain Resistance | C1378 | No Requirement | Class A* |
| Giain Nesisianice | 01370 | Range E- A | Olass A |
| DOOF Att | DOT 2000 | - | b 0 40* |
| DCOF Acutest | BOT 3000 | ≥ 0.42* | ≥ 0.42* |
| Aesthetic | Visual | | |
| Class/Shade Rating | Evaluation | No Requirement | V2 |
| Siaco, Silado Halling | Shade &Texture | Range V0 – V4 | V Z |
| | -:::ac a. car | Tange vo V4 | |

DCOF*: all values given are for matte or honed material. No values are given for polished material. StonePeak does not recommend polished surfaces in areas subject to exposure from grease, oil or water.

5. INSTALLATION

Surface preparations:

All installation work using StonePeak Ceramics' tiles will conform to the standards set forth in the latest version of ANSI A108/118 and/or the TCA Handbook for Ceramic Tile installations.

All substrates should be between 40 degrees F and 90 degrees F and structurally sound, clean and free of all dirt, oil, grease, paint, concrete sealers or curing compounds as per ANSI A108.01.

Deflection:

Substrate must conform to all state and local building code requirements and ANSI A108.01 for maximum allowable substrate deflection Movement joints:

Movement joints shall be provided throughout the tile and work will conform to ANSI Specification A108.01-3.7; A108.02 - 4.4.and TCA Details EJ171.

Installation or setting materials:

Setting materials used will conform to the ANSI 118.4 standard or greater and be recommended by the selected manufacturer for the installation & setting materials for ceramic or porcelain tile based on the application requirements.

6. AVAILABILITY AND COST

StonePeak Classic Collection is available from selected distributors of ceramic tile.

To find accessible information of delivery and product costs for your area, please contact your nearest StonePeak Ceramics distributor.

See our website the find a distributor near you: http://www.stonepeakceramics.com/serviceswhere to buy.php

7. WARRANTY

Stonepeak Ceramics guarantees that its products will be free of manufacturing defects and they will meet or exceed the performance specifications set forth in ANSI 137.1.

For further information and details please contact your nearest StonePeak Ceramics Distributor for a written copy of the warranty information.

For distributor information go to our website: http://www.stonepeakceramics.com/serviceswhere_to_buy.php

8. **MAINTENANCE**

Care and Maintenance Recommendations Guide

Please refer to StonePeak Ceramics Care and Maintenance Recommendations Guide for all technical information as to the care of this collection.

9. TECHNICAL SERVICES

Technical Assistance

Guide Specifications. literature. MSDS, tile samples, details and installation procedures are all available for your use or libraries.

StonePeak Please contact your nearest representative for catalogues, physical samples or architectural binders.

Continued Education Programs are available - 1 2 hour HSW Learning Units -StonePeak Ceramics' main office to set up a presentation.

See section 2 for contact information.

10. FILING SYSTEMS

Highland Collection





Highland Beige



Highland Black





Note to Specifier: Click on color with Internet Connection to hyperlink directly to product color data at the StonePeak Ceramics website.

11. ENVIRONMENTAL CERTIFICATIONS

StonePeak proudly contain factory and product certifications:





12. RECYCLED CONTENT

Products certified by Bureau Veritas. Please ask to see certification

Pre-Consumer Recycled Content Post-Consumer Recycled Content