
# STONEPE K







# PLANE: THE NEXT GENERATION OF PANELS, MADE IN ITALY

**PLANE** features state-of-the-art gauged porcelain panels that can be as large as 60" x 120" and as thin as 1/4" thick. These revolutionary large format tiles combine the durable characteristics of porcelain with the beauty of a natural slab of quarried stone or the charm of stained concrete. With a new formulation allowing for slimmer, more light-weight, no-mesh panels, Plane is perfect for an endless variety of projects. The Italian Plane collection features dozens of stunning colors, including six new colors, allowing for maximum design flexibility in both commercial and residential settings.



### PLANE COLOR RANGE







CALACATTA MACCHIATO



BIANCO CAPRAIA



NERO DORATO



MATERICO SCURO



MATERICO CHIARO




ZEBRINO BLUETTE



ZEBRINO MICHELANGELO



CALACATTA VENA



EXTRA VENA



ARABESCATO VENA



PAONAZZETTO VENA



FANTASY BRIGHT



FANTASY GOLD



FANTASY CLOUD



CRYSTAL VENA



MARFIL VENA



TRAVERTINO VENA



WHITE



SILVER



**COPPER** 



**BLACK** 



TRUE WHITE



TRUE BLACK





#### ARABESCATO VENA











#### NERO DORATO




# PLANE APPLICATIONS







INTERIORS & DESIGN







### PIETRA AZZURRA



#### **SIZES**



**60" x 120" USSP12060272** PIETRA AZZURRA polished





fine 6mr

60" x 60"
USSP6060272 PIETRA AZZURRA polished





30" x 60"
USSP3060272 PIETRA AZZURRA polished





30" x 30" USSP3030272 PIETRA AZZURRA polished





15" x 30" USSP3015272 PIETRA AZZURRA polished













### CALACATTA MACCHIATO




#### **SIZES**



60" x 120"
USSP12060285 CALACATTA MACCHIATO A polished
USSP12060286 CALACATTA MACCHIATO B polished





#### AVAILABLE AS BOOK MATCH:

Calacatta Macchiato A & B are "book match" faces which can be used side by side for a continuous vein effect.









All sizes are nominal

All Plane products are rectified

For technical information refer to our website www.stonepeakceramics.com



### CALACATTA MACCHIATO




6mm

#### **SIZES**



60" x 120"
USSK12060273 CALACATTA MACCHIATO silky
USSP12060273 CALACATTA MACCHIATO polished



60" x 60"
USSK6060273 CALACATTA MACCHIATO silky
USSP6060273 CALACATTA MACCHIATO polished



30" x 60"
USSK3060273 CALACATTA MACCHIATO silky
USSP3060273 CALACATTA MACCHIATO polished




(3) 6mm

30" x 30"
USSK3030273
CALACATTA MACCHIATO silky
USSP3030273
CALACATTA MACCHIATO polished





15" x 30"
USSK3015273
CALACATTA MACCHIATO silky
USSP3015273
CALACATTA MACCHIATO polished















### BIANCO CAPRAIA



#### **SIZES**



60" x 120" USSK12060274 BIANCO CAPRAIA silky USSP12060274 BIANCO CAPRAIA polished



60" x 60" USSK6060274 BIANCO CAPRAIA silky USSP6060274 BIANCO CAPRAIA polished





30" x 60" USSK3060274 BIANCO CAPRAIA silky USSP3060274 BIANCO CAPRAIA polished







30" x 30" USSK3030274 BIANCO CAPRAIA silky USSP3030274 BIANCO CAPRAIA polished





15" x 30" USSK3015274 BIANCO CAPRAIA silky USSP3015274 BIANCO CAPRAIA polished















### NERO DORATO



#### **SIZES**



60" x 120"
USSK12060275 NERO DORATO silky
USSP12060275 NERO DORATO polished



file 6m

60" x 60" USSK6060275 NERO DORATO silky USSP6060275 NERO DORATO polished





30" x 60"
USSK3060275 NERO DORATO silky
USSP3060275 NERO DORATO polished





30" x 30" USSK3030275 NERO DORATO silky USSP3030275 NERO DORATO polished





15" x 30" USSK3015275 NERO DORATO silky USSP3015275 NERO DORATO polished















## MATERICO SCURO



#### **SIZES**



40" x 120" USSS12040276 MATERICO SCURO soft







USSS4040276 MATERICO SCURO soft















# MATERICO CHIARO




6mm

#### **SIZES**



40" x 120"
USSS12040277 MATERICO CHIARO soft



40" x 40"
USSS4040276 MATERICO CHIARO soft















### ZEBRINO BLUETTE

#### **SIZES**



60" x 120" USSP12060208 ZEBRINO BLUETTE polished







USSP6060208 ZEBRINO BLUETTE polished

30" x 60" USSP3060208 ZEBRINO BLUETTE polished



30" x 30"











15" x 30" USSP3015208 ZEBRINO BLUETTE polished













### ZEBRINO MICHELANGELO

#### **SIZES**



60" x 120"
USSP12060207 ZEBRINO MICHELANGELO polished





60" x 60"
USSP6060207 ZEBRINO MICHELANGELO polished



30" x 60"
USSP3060207 ZEBRINO MICHELANGELO polished



30" x 30" USSP3030207 ZEBRINO MICHELANGELO polished



15" x 30" USSP3015207 ZEBRINO MICHELANGELO polished















# PLANE CALACATTA VENA

#### **SIZES**



60" x 120"
USH12060088 EXTRA VENA A honed
USSP12060088 EXTRA VENA A polished
USH12060112 EXTRA VENA B honed
USSP12060112 EXTRA VENA B polished





#### AVAILABLE AS BOOK MATCH:

Calacatta Vena A & B are "book match" faces which can be used side by side for a continuous vein effect.











### CALACATTA VENA CLASSICO

#### **SIZES**




60" x 120" **USH12060090** CALACATTA VENA CLASSICO honed **USSP12060090** CALACATTA VENA CLASSICO polished



60" x 60" USH6060090 CALACATTA VENA CLASSICO

6mm

USSP6060090 CALACATTA VENA CLASSICO polished



30" x 30" USH3030090 CALACATTA VENA CLASSICO honed USSP3030090 CALACATTA VENA CLASSICO polished



30" x 60" USH3060090 CALACATTA VENA CLASSICO 6mm USSP3060090 CALACATTA VENA CLASSICO




polished

15" x 30" USH1530090 CALACATTA VENA CLASSICO honed USSP1530090 CALACATTA VENA CLASSICO polished

#### **MOSAICS**



12" x 12" MOSAIC USH12MH090 CALACATTA VENA CLASSICO honed















# P L A N E

### EXTRA VENA

#### **SIZES**



60" x 120"
USH12060111 EXTRA VENA A honed
USSP12060111 EXTRA VENA A polished
USH12060112 EXTRA VENA B honed
USSP12060112 EXTRA VENA B polished





#### AVAILABLE AS BOOK MATCH:

Extra Vena A & B are "book match" faces which can be used side by side for a continuous vein effect.












### EXTRA VENA

### **SIZES**



60" x 120" USH12060110 EXTRA VENA honed USSP1206110 EXTRA VENA polished




60" x 60" USH6060110 EXTRA VENA honed USSP6060110 EXTRA VENA polished



30" x 60" USH3060110 EXTRA VENA honed USSP3060110 EXTRA VENA polished

6mm





30" x 30" USH3030110 EXTRA VENA honed USSP3030110 EXTRA VENA polished




6mm

15" x 30" USH3015110 EXTRA VENA honed USSP3015110 EXTRA VENA polished

### **MOSAICS**



12" x 12" MOSAIC USH12MH110 EXTRA VENA honed















### ARABESCATO VENA

### **SIZES**









#### AVAILABLE AS BOOK MATCH:

Arabescato Vena A & B are "book match" faces which can be used side by side for a continuous vein effect.









## PAONAZZETTO VENA

### **SIZES**




60" x 120" USSP12060113 PAONAZZETTO VENA polished



60" x 60" USSP6060113 PAONAZZETTO VENA polished



30" x 60" USSP3060113 PAONAZZETTO VENA polished



30" x 30" USSP3030113 PAONAZZETTO VENA polished



USSP3015113 PAONAZZETTO VENA polished













### FANTASY BRIGHT

### **SIZES**



60" x 120" USSP12060116 FANTASY BRIGHT polished



USSP6060116 FANTASY BRIGHT polished



30" x 60" USSP3060116 FANTASY BRIGHT polished



30" x 30" USSP3030116 FANTASY BRIGHT polished





15" x 30" USSP3015116 FANTASY BRIGHT polished











For technical information refer to our website www.stonepeakceramics.com

Honed finish available by special order.




### FANTASY GOLD

### **SIZES**



60" x 120" USSP12060115 FANTASY GOLD polished





60" x 60" USSP6060115 FANTASY GOLD polished



USSP3060115 FANTASY GOLD polished



30" x 30" USSP3030115 FANTASY GOLD polished





15" x 30" USSP3015115 FANTASY GOLD polished














### FANTASY CLOUD

#### **SIZES**



60" x 120"
USSP12060117 FANTASY CLOUD polished





60" x 60"
USSP6060117 FANTASY CLOUD polished





30" x 60"
USSP3060117 FANTASY CLOUD polished





30" x 30" USSP3030117 FANTASY CLOUD polished





15" x 30" USSP3015117 FANTASY CLOUD polished













### CRYSTAL VENA

### **SIZES**



60" x 120" USSP12060121 CRYSTAL VENA polished



60" x 60" USSP6060121 CRYSTAL VENA polished





6mm









30" x 30" USSP3030121 CRYSTAL VENA polished





15" x 30" USSP3015121 CRYSTAL VENA polished













### MARFIL VENA

### **SIZES**



60" x 120" USH12060114 MARFIL VENA honed USSP1206114 MARFIL VENA polished



60" x 60" USH6060114 MARFIL VENA honed USSP6060114 MARFIL VENA polished



30" x 60" USH3060114 MARFIL VENA honed USSP3060114 MARFIL VENA polished







6mm

6mm

30" x 30" USH3030114 MARFIL VENA honed USSP3030114 MARFIL VENA polished



6mm





#### **MOSAICS**



12" x 12" MOSAIC USH12MH114 MARFIL VENA honed













All sizes are nominal All Plane products are rectified

For technical information refer to our website www.stonepeakceramics.com



### TRAVERTINO VENA

#### **SIZES**



60" x 120"
USH12060098 TRAVERTINO VENA honed
USSP12060098 TRAVERTINO VENA polished





60" x 60" USH6060098 TRAVERTINO VENA honed USSP6060098 TRAVERTINO VENA polished



30" x 60" USH3060098 TRAVERTINO VENA honed USSP3060098 TRAVERTINO VENA polished





30" x 30"
USH3030098
TRAVERTINO VENA honed
USSP3030098
TRAVERTINO VENA polished



15" x 30" USH3015098 TRAVERTINO VENA honed USSP3015098 TRAVERTINO VENA polished

#### **MOSAICS**



12" x 12" MOSAIC
USH12MH098 TRAVERTINO VENA honed



**POLISHED** 














### WHITE

### **SIZES**



60" x 120"
USH12060087 WHITE honed
USSP12060087 WHITE chrome (polished)



60" x 60"
USH6060087 WHITE honed
USSP6060087 WHITE chrome (polished)



30" x 60"
USH3060087 WHITE honed
USSP3060087 WHITE chrome (polished)




30" x 30" USH3030087 WHITE honed USSP3030087 WHITE chrome (polished)





15" x 30" USH3015087 WHITE honed USSP12060087 WHITE chrome (polished)














### SILVER

### **SIZES**



60" x 120"
USH12060086 SILVER honed
USSP12060086 SILVER chrome (polished)




60" x 60"
USH6060086 SILVER honed
USSP6060086 SILVER chrome (polished)





30" x 60"
USH3060086 SILVER honed
USSP3060086 SILVER chrome (polished)



30" x 30" USH3030086 SILVER honed USSP3030086 SILVER chrome (polished)





15" x 30" USH3015086 SILVER honed USSP3015086 SILVER chrome (polished)

















### COPPER

### **SIZES**




60" x 120" USSP12060092 COPPER honed



60" x 60" USSP6060092 COPPER honed



30" x 60" USSP3060092 COPPER honed



30" x 30" USSP3030092 COPPER honed





15" x 30" USSP3015092 COPPER honed
















### **BLACK**

#### **SIZES**



60" x 120"
USH12060091 BLACK honed
USSP12060091 BLACK chrome (polished)



60" x 60" USH6060091 BLACK honed USSP6060091 BLACK chrome (polished)



30" x 60"
USH3060091 BLACK honed
USSP3060091 BLACK chrome (polished)




30" x 30" USH3030091 BLACK honed USSP3030091 BLACK chrome (polished)





15" x 30" USH3015091 BLACK honed USSP3015091 BLACK chrome (polished)















### TRUE WHITE

### **SIZES**



60" x 120"
USH12060094 TRUE WHITE honed
USP12060094 TRUE WHITE polished



60" x 60"
USH6060094 TRUE WHITE honed
USP6060094 TRUE WHITE polished



30" x 60"
USH3060094 TRUE WHITE honed
USP3060094 TRUE WHITE polished



30" x 30"
USH3030094
TRUE WHITE honed
USP3030094
TRUE WHITE polished



15" x 30" USH3015094 TRUE WHITE honed USP3015094 TRUE WHITE polished

HONED

POLISHED













### TRUE BLACK

### **SIZES**



**60" x 120" USH12060093** TRUE BLACK honed **USP12060093** TRUE BLACK polished



60" x 60"
USH6060093 TRUE BLACK honed
USP6060093 TRUE BLACK polished



30" x 60"
USH3060093 TRUE BLACK honed
USP3060093 TRUE BLACK polished



30" x 30" USH3030093 TRUE BLACK honed USP3030093 TRUE BLACK polished





15" x 30" USH3015093 TRUE BLACK honed USP3015093 TRUE BLACK polished















### PLANE GENERAL TECHNICAL SPECIFICATIONS

ACTUAL SIZES		
60" x 120" ~ 59 <sup>1</sup> / <sub>16</sub> " x 118 <sup>3</sup> / <sub>16</sub> " (± 0.5 mm)	60" $\times$ 60" $\sim$ 59 $^{1}/_{16}$ " $\times$ 59 $^{1}/_{16}$ " (± 0.5 mm)	30" x 60" ~ 29 <sup>1</sup> / <sub>2</sub> " x 59 <sup>1</sup> / <sub>16</sub> " (± 0.5 mm)
40" x 120" ~ 39 <sup>3</sup> / <sub>8</sub> " x 118 <sup>3</sup> / <sub>16</sub> " (± 0.5 mm)	40" x 108" ~ 39 <sup>3</sup> / <sub>8</sub> " x 106 <sup>19</sup> / <sub>64</sub> " (± 0.5 mm)	40" x 40" ~ 39 <sup>3</sup> / <sub>8</sub> " x 39 <sup>3</sup> / <sub>8</sub> " (± 0.5 mm)

PHYSICAL PROPERTIES	ASTM TEST	INDUSTRY STANDARDS	STONEPEAK RESULTS
Water Absorption	C373	Impervious < 0.5%	≤ 0.1%
Thickness Dimension	C499	Range ± 0.02 Inc. Max	≤ ± 0.02 lnc.
Facial Dimension	C499	± 0.25%	≤ ± 0.25%
Wedging Average	C502	± 0.25%	≤ ± 0.25%
Dry Bond Strength	Section 7.5	≥ 150 psi	≥ 200 psi
Hardness (Mohs)	Scratch Test (Not regulated)	Range 0 -10	≥ 7
Deep Abrasion Resistance	C1243	Impervious (porcelain) Class P1: ≤ 175 mm	≤ 175 mm
Frost Resistance	C1026	No samples must show alterations to surface	No Evidence of Damage
Robinson Test	AC627	As reported	Extra Heavy
Chemical Resistance	C650	No Requirement Range E – A	Class A
Stain Resistance	C1378	No Requirement Range E – A	Class A
DCOF	BOT 3000	≥ 0.42	≥ 0.42 - ≥ 0.60
Aesthetic Class/Shade Rating	Visual Evaluation Shade &Texture	No Requirement Range V0 – V4	V1 – V3
Light Reflectance Value (L.V.R.)	C609	No Requirement Range 0 – 100	10 – 80 depending on style/color selection

<sup>-</sup> Actual test data are available upon request.

<sup>-</sup> Please ask for individual test reports, as results vary depending on finish.

<sup>-</sup> Specific technical information is available on our website: www.stonepeakceramics.com.

<sup>-</sup> StonePeak collections are materials subject to variations in color and/or vein, as they are created using natural products.

<sup>-</sup> DCOF: all values given are for matter or honed material. No values are given for polished materials. StonePeak does not recommend polished surfaces in areas subject to exposure from grease, oil, or water.

<sup>-</sup> Water (especially standing water), oil, grease, etc., create slippery conditions. Floor applications with exposure to these elements require extra maintenance and caution in product selection.

<sup>-</sup> TCNA Handbook for Ceramic Tile Installation

## CARE & MAINTENANCE

#### **Initial Cleaning During Installation**

As with any flooring material, the most important step in the care and maintenance of your porcelain floor is the initial cleaning.

The single most important step in caring for your StonePeak Ceramics floor is the complete removal of setting material, grout residue, and/or any construction residue from the surface of the tiles before they have a chance to dry. In most cases, StonePeak Ceramics porcelain tiles can be cleaned successfully by scrubbing the installation with a neutral detergent cleaner followed by a thorough rinsing. If a grout residue still remains, rinse further, cleaning the tile several times with clean water to be certain you have removed traces of grout residue from the surface of the tiles.

Grout manufacturers have printed detailed instructions for the proper cleaning of grout residues available. The grout manufacturers' directions should be followed if a grout film is present on the surface of the porcelain tiles.

Once the initial cleaning process has been completed, StonePeak Ceramics porcelain tiles just need to be swept or vacuumed and damp mopped with a neutral detergent cleaner followed by a thorough rinsing.

### **Special Grouting Precautions**

It is recommended that a test patch be done prior to grouting the installation to determine if contaminations of grout pigment will occur on the tile—especially when using light-colored tiles or polished tiles that are to be grouted with a dark contrasting colored grout, or when dark-colored tiles are to be grouted with a light-colored grout. If discoloration does not occur on the surface of the tile, then proceed with grouting. If discoloration does occur, contact the grout manufacturer to request a proper procedure for the protection of this surface.

#### **Proper Care During Construction Phase**

Like any other finished material, StonePeak Ceramics porcelain tiles are viewed as a finished flooring material. We strongly recommend using a protective cover, such as cardboard, construction paper, plywood, and/or other covering, to protect the porcelain tile during the initial construction phase. The use of plastic as a cover is not recommended since plastic becomes slippery when construction residue comes in contact with it. In addition, plastic has a tendency to delay the natural curing process of the thin-set and/or grout.

#### Glazed, Matte, Honed & Textured Tiles

StonePeak Ceramics porcelain tile products do not require the use of sealers, surface coatings, or waxes on the Glazed, Matte, Honed, and Textured porcelain tiles. In fact, the surface of the matte series is so smooth, and non-absorbing, that Stain Test results show that StonePeak Ceramics porcelain tiles are virtually stain resistant. Applying a sealer or surface coating to matte finish porcelain tiles will only add unnecessary steps to the overall maintenance program—without enhancing the overall appearance of the tile. The use of sealers on impervious porcelain paver tiles will turn a low-maintenance tile into labor intensive high-maintenance tile, and in most cases, these applied surface sealers will change and/or diminish the slip resistance of the porcelain tile.

#### **Polished Tiles**

If a polished finish is used in an area prone to excessive spills or dirt, it may be advisable to treat the tile with a penetratingtype sealer.

During the polishing process, microscopic pores are sometimes exposed. Although the pores are shallow, spills can fill them, making standard cleaning procedures inadequate. By using a penetrating-type sealer, microscopic pores are filled, preventing stains from setting in. A penetrating-type sealer is designed only to fill pores, not to coat the tile surface.

You will not alter the polished tile's appearance, provided that a recommended sealer is used and applied according to manufacturer's instructions.

### RECOMMENDATIONS GUIDE

#### **Daily Maintenance**

As with any flooring material, general maintenance and cleaning varies depending on the surface, texture of the tile, and surface contaminate. Generally, neutral cleaners are more than sufficient to clean and maintain StonePeak Ceramics porcelain tiles. It is important that the cleaner used is a non-oil, non-soap, and non-animal fat-based product. These cleaners have a tendency to act like a magnet and attract dirt and dust, due to the residue build-up left behind during the clean up. Water and a soft sponge will remove most contaminants from your porcelain tile. If a cleaning product other than water is used for general cleaning, only a neutral pH cleaner (with the characteristics described above) should be used. These neutral pH cleaners are available from most sealer manufacturers and can be found at a local hardware store or tile distributor. Cleaners, such as Formula 409, Fantastic, or Windex, can sometimes be used on unsealed tiles, but most are alkaline in nature and could attack the surface finish. If using such a cleaner, always test a small area first. If you are not able to remedy the situation using the materials above, refer to the Heavy Duty Maintenance section of the Recommendations Guide.

#### **Heavy Duty Maintenance**

If contaminants occur due to more than daily routine activities, then the use of a stronger cleaner may be needed. Use caution in selecting the product for heavy duty cleaning as many chemicals can damage the installation or near the installation as well as discolor and/or stain certain types of tiles. Porcelain tiles are the most durable tiles available; however, we do not test every chemical, and therefore a test area is needed to confirm that the product is suitable for the removal of the contaminant in question. Please refer to the Stain Removal Guide for information about particular stains and manufacturer information. The information listed is only a guide. For more specific information, please contact one of the manufacturers listed. Always follow the directions from the manufacturer of the cleaning product you intend to use.

<sup>-</sup> StonePeak highly recommends the use of low VOC, non-hazardous, and non-polluting products for the cleaning and maintenance of tile and grout products.

<sup>–</sup> Acid washing is rarely recommended. Acid or acid-based cleaners should not be used to clean a grout residue. Some acids can burn non-epoxy or cementitious grouts and leave a white film that is almost impossible to remove. Also, the use of certain acid solutions can structurally weaken the grout in the joint of the tile. If in the event a mild solution of sulfamic or phosphoric acid base cleaner is needed, carefully read the manufacturer's instructions.



# BRINGING THE TRADITION OF FINE ITALIAN TILE TO THE USA

Nestled in the hills of Tennessee's Smoky Mountains is a company with a uniquely American character that honors the time-proven tradition of fine Italian porcelain ceramics. StonePeak Ceramics opened its doors in 2004 and has been pioneering the US tile industry ever since. It was the first US tile manufacturer to use Inkjet technology, the first to produce throughbody tile with through-body veins and the first to produce the revolutionary 60" x 120", ¼-inch thick large porcelain panels. StonePeak is also leading the US tile industry in sustainability. The company continually works to create a higher environmental standard, striving to lower its carbon footprint and create the most sustainable products possible.

### www.stonepeakceramics.com

StonePeak Ceramics is a company of Iris Ceramica Group.

## STONEPEAK

#### StonePeak Ceramics, Inc. **Corporate Headquarters**

314 West Superior Street, Suite 201 Chicago, Illinois 60654

- t (312) 506-2800
- f (312) 335-0533
- e info@stonepeakceramics.com
- w www.stonepeakceramics.com

#### **Sample Express**

1-866-STPEAK1

1-866-787-3251

### **Production Facility**

238 Porcelain Tile Drive Crossville, Tennessee 38555

























