



THE  
**30's**

COLLECTION




**THE THIRTIES** / A highly versatile collection of 30" x 30" porcelain tiles.



# THE THIRTIES COLLECTION

**THE THIRTIES** merges classic colors with a unique 30"x30" size. This highly versatile collection of porcelain tiles evokes timeless style with seven elegant marble-look patterns, newly added classic black and white colors and two finishes. The perfect square shape brings a modern and stylish aesthetic to any commercial or residential space.

# THE THIRTIES



**AVAILABLE COLORS:** PURE WHITE / PURE BLACK / STATUARIETTO / CALACATTA ORO  
BIANCO CARRARA / CREMINO / TRAVERTINO CHIARO / TRAVERTINO GRIGIO / BARDIGLIETTO































# THE THIRTIES PURE WHITE



## Sizes



30' x 30"



DIG3030082 PURE WHITE honed  
DIP3030082 PURE WHITE polished

# PURE BLACK



## Sizes



30' x 30"



DIG3030081 PURE BLACK honed  
DIP3030081 PURE BLACK polished

rectified



DCOF AVERAGE:  
≥0.42\*


See other available sizes & thicknesses in Classic,  
Classic 2.0, Plane and Plane 2.0 collections.

All sizes are nominal

All The Thirties products are rectified

Mosaics are mesh-mounted

For technical information refer to our website [www.stonepeakceramics.com](http://www.stonepeakceramics.com)



# THE THIRTIES STATUARIETTO

## Sizes



30" x 30"


8mm

USG3030172 STATUARIETTO honed  
USP3030172 STATUARIETTO polished



# CALACATTA ORO

## Sizes



30" x 30"

8mm

USG3030196 CALACATTA ORO honed  
USP3030196 CALACATTA ORO polished

rectified



DCOF AVERAGE:  
≥0.42\*

All sizes are nominal  
All The Thirties products are rectified  
Mosaics are mesh-mounted  
For technical information refer to our website [www.stonepeakceramics.com](http://www.stonepeakceramics.com)

**See other available sizes & thicknesses in Classic,  
Classic 2.0, Plane and Plane 2.0 collections.**



# THE THIRTIES BIANCO CARRARA

## Sizes



30" x 30"



USG3030195 BIANCO CARRARA honed  
USP3030195 BIANCO CARRARA polished



# CREMINO

## Sizes



30" x 30"



USG3030171 CREMINO honed  
USP3030171 CREMINO polished



rectified



DCOF AVERAGE:  
≥0.42\*

See other available sizes & thicknesses in Classic,  
Classic 2.0, Plane and Plane 2.0 collections.

All sizes are nominal

All The Thirties products are rectified

Mosaics are mesh-mounted

For technical information refer to our website [www.stonepeakceramics.com](http://www.stonepeakceramics.com)



# THE THIRTIES TRAVERTINO CHIARO

## Sizes



30" x 30"

8mm

USG3030197 TRAVERTINO CHIARO honed  
USP3030197 TRAVERTINO CHIARO polished



# TRAVERTINO GRIGIO

## Sizes



30" x 30"

8mm

USG3030198 TRAVERTINO GRIGIO honed  
USP3030198 TRAVERTINO GRIGIO polished

rectified



DCOF AVERAGE:  
≥0.42\*

All sizes are nominal  
All The Thirties products are rectified  
Mosaics are mesh-mounted  
For technical information refer to our website [www.stonepeakceramics.com](http://www.stonepeakceramics.com)

See other available sizes & thicknesses in Classic,  
Classic 2.0, Plane and Plane 2.0 collections.

# THE THIRTIES BARDIGLIETTO

## Sizes



30" x 30"  
USG3030170 BARDIGLIETTO honed  
USP3030170 BARDIGLIETTO polished

8mm



rectified thru-color RECYCLE CONTENT 100% RECYCLE CONTENT 100% V2 DCOF AVERAGE: ≥0.42\*

See other available sizes & thicknesses in Classic, Classic 2.0, Plane and Plane 2.0 collections.

All sizes are nominal  
All The Thirties products are rectified  
Mosaics are mesh-mounted  
For technical information refer to our website [www.stonepeakceramics.com](http://www.stonepeakceramics.com)



# THE THIRTIES

## TECHNICAL SPECIFICATIONS

### ACTUAL SIZES

30"x30" ~ 29 1/2"x29 1/2" (± 0.5 mm)

PHYSICAL PROPERTIES	ASTM TEST	INDUSTRY STANDARDS	STONEPEAK RESULTS
Water Absorption	C373	Impervious < 0.5%	≤ 0.1%
Thickness Dimension	C499	Range ± 0.04 Inc. Max	≤ ± 0.04 Inc.
Facial Dimension	C499	± 0.25%	≤ ± 0.25%
Wedging Average	C502	± 0.25%	≤ ± 0.25%
Bond Strength	C482	≥ 50 psi	≥ 200 psi
Breaking Strength	C648	≥ 250 lb	≥ 400 lb
Hardness (Mohs)	Scratch Test (Not regulated)	Range 0 -10	≥ 7
Visible Abrasion Resistance for Glazed Tiles	C1027	No Requirement Range 0 – 5	Class 4
Frost Resistance	C1026	No samples must show alterations to surface	No Evidence of Damage
Robinson Test	AC627	As reported	Extra Heavy
Chemical Resistance	C650	No Requirement Range E – A	Class A
Stain Resistance	C1378	No Requirement Range E – A	Class A*
DCOF	BOT 3000	≥ 0.42*	≥ 0.42*
Aesthetic Class/Shade Rating	Visual Evaluation Shade & Texture	No Requirement Range V0 – V4	V2

- Actual test data are available upon request.
- Please ask for individual test reports, as results vary depending on finish.
- Specific technical information is available on our website: [www.stonepeakceramics.com](http://www.stonepeakceramics.com).
- StonePeak collections are materials subject to variations in color and/or vein, as they are created using natural products.
- SCOF/DCOF: all values given are for matte or honed material. No values are given for polished materials. StonePeak does not recommend polished surfaces in areas subject to exposure from grease, oil, or water.
- Water (especially standing water), oil, grease, etc., create slippery conditions.  
Floor applications with exposure to these elements require extra maintenance and caution in product selection.
- Refer to the TCNA Handbook for Ceramic Tile Installation.



GET IT ON  
**Google Play**

 **Desktop app**  
Windows, OS X

 **Download on the  
App Store**

Search "Stonepeak" on your app store  
[www.stonepeakceramics.com/pdfapp](http://www.stonepeakceramics.com/pdfapp)

# STONEPEAK

high tech porcelain

**StonePeak Ceramics, Inc.**  
**Corporate Headquarters**  
314 West Superior Street, Suite 201  
Chicago, Illinois 60654  
**phone** (312) 506-2800  
**fax** (312) 335-0533  
info@stonepeakceramics.com  
www.stonepeakceramics.com

**Sample Express**  
1-866-STPEAK1  
1-866-787-3251

**Production Facility**  
238 Porcelain Tile Drive  
Crossville, Tennessee 38555

