



# CARE & MAINTENANCE

## Initial Cleaning During Installation

As with any flooring material, the most important step in the care and maintenance of your porcelain floor is the initial cleaning.

The single most important step in caring for your StonePeak Ceramics floor is the complete removal of setting material, grout residue, and/or any construction residue from the surface of the tiles before they have a chance to dry. In most cases, StonePeak Ceramics porcelain tiles can be cleaned successfully by scrubbing the installation with a neutral detergent cleaner followed by a thorough rinsing. If a grout residue still remains, rinse further, cleaning the tile several times with clean water to be certain you have removed traces of grout residue from the surface of the tiles.

Grout manufacturers have printed detailed instructions for the proper cleaning of grout residues available. The grout manufacturers' directions should be followed if a grout film is present on the surface of the porcelain tiles.

Once the initial cleaning process has been completed, StonePeak Ceramics porcelain tiles just need to be swept or vacuumed and damp mopped with a neutral detergent cleaner followed by a thorough rinsing.

## Special Grouting Precautions

It is recommended that a test patch be done prior to grouting the installation to determine if contaminations of grout pigment will occur on the tile—especially when using light-colored tiles or polished tiles that are to be grouted with a dark contrasting colored grout, or when dark-colored tiles are to be grouted with a light-colored grout. If discoloration does not occur on the surface of the tile, then proceed with grouting. If discoloration does occur, contact the grout manufacturer to request a proper procedure for the protection of this surface.

## Proper Care During Construction Phase

Like any other finished material, StonePeak Ceramics porcelain tiles are viewed as a finished flooring material. We strongly recommend using a protective cover, such as cardboard, construction paper, plywood, and/or other covering, to protect the porcelain tile during the initial construction phase. The use of plastic as a cover is not recommended since plastic becomes slippery when construction residue comes in contact with it. In addition, plastic has a tendency to delay the natural curing process of the thin-set and/or grout.

## Glazed, Matte, Honed & Textured Tiles

StonePeak Ceramics porcelain tile products do not require the use of sealers, surface coatings, or waxes on the Glazed, Matte, Honed, and Textured porcelain tiles. In fact, the surface of the matte series is so smooth, and non-absorbing, that Stain Test results show that StonePeak Ceramics porcelain tiles are virtually stain resistant. Applying a sealer or surface coating to matte finish porcelain tiles will only add unnecessary steps to the overall maintenance program—without enhancing the overall appearance of the tile. The use of sealers on impervious porcelain paver tiles will turn a low-maintenance tile into labor intensive high-maintenance tile, and in most cases, these applied surface sealers will change and/or diminish the slip resistance of the porcelain tile.

## Polished Tiles

If a polished finish is used in an area prone to excessive spills or dirt, it may be advisable to treat the tile with a penetrating-type sealer.

During the polishing process, microscopic pores are sometimes exposed. Although the pores are shallow, spills can fill them, making standard cleaning procedures inadequate. By using a penetrating-type sealer, microscopic pores are filled, preventing stains from setting in. A penetrating-type sealer is designed only to fill pores, not to coat the tile surface.

You will not alter the polished tile's appearance, provided that a recommended sealer is used and applied according to manufacturer's instructions.

---

### Please note:

- StonePeak highly recommends the use of low VOC, non-hazardous, and non-polluting products for the cleaning and maintenance of tile and grout products.
- Acid washing is rarely recommended. Acid or acid based cleaners should not be used to clean a grout residue. Some acids can burn non-epoxy or cementitious grouts and leave a white film that is almost impossible to remove. Also, the use of certain acid solutions can structurally weaken the grout in the joint of the tile. If in the event a mild solution of sulfamic or phosphoric acid base cleaner is needed, carefully read the manufacturer's instructions.



# RECOMMENDATIONS GUIDE

## Daily Maintenance

As with any flooring material, general maintenance and cleaning varies depending on the surface, texture of the tile, and surface contaminate. Generally, neutral cleaners are more than sufficient to clean and maintain StonePeak Ceramics porcelain tiles. It is important that the cleaner used is a non-oil, non-soap, and non-animal fat-based product. These cleaners have a tendency to act like a magnet and attract dirt and dust, due to the residue build-up left behind during the clean up. Water and a soft sponge will remove most contaminants from your porcelain tile. If a cleaning product other than water is used for general cleaning, only a neutral pH cleaner (with the characteristics described above) should be used. These neutral pH cleaners are available from most sealer manufacturers and can be found at a local hardware store or tile distributor. Cleaners, such as Formula 409, Fantastic, or Windex, can sometimes be used on unsealed tiles, but most are alkaline in nature and could attack the surface finish. If using such a cleaner, always test a small area first. If you are not able to remedy the situation using the materials above, refer to the Heavy Duty Maintenance section of the Recommendations Guide.

## Heavy Duty Maintenance

If contaminants occur due to more than daily routine activities, then the use of a stronger cleaner may be needed. Use caution in selecting the product for heavy duty cleaning as many chemicals can damage the installation or near the installation as well as discolor and/or stain certain types of tiles. Porcelain tiles are the most durable tiles available; however, we do not test every chemical, and therefore a test area is needed to confirm that the product is suitable for the removal of the contaminant in question. Please refer to the Stain Removal Guide for information about particular stains and manufacturer information. The information listed is only a guide. For more specific information, please contact one of the manufacturers listed. Always follow the directions from the manufacturer of the cleaning product you intend to use.



# STAIN REMOVAL GUIDE

STAIN	MIRACLE SEALANTS	AQUA MIX	FILA CHEMICALS
<b>Food Stains</b> Coffee, Wine, Grape, Juice, Tea, Mustard, Ketchup, Soda, Other Foods	Porcelain and Ceramic Tile Cleaner or Miraclelean #1***	Concentrated Stone & Tile Cleaner or Heavy-Duty Tile & Grout Cleaner for heavier stains	PS/87 or SR/95*
<b>Oil-Based Stains</b> Animal Fats, Vegetable Fats, Cooking Oil, Wax, Rubber, Lipstick	Porcelain and Ceramic Tile Cleaner or Liquid Poulitce***	Heavy-Duty Tile & Grout Cleaner	PS/87
Oil-Based Paint	Porcelain and Ceramic Tile Cleaner or Liquid Poulitce***	Sealer and Coating Remover	PS/87 or No Paint
<b>Other Stains</b> Ink, Felt Marker, Crayon	Porcelain and Ceramic Tile Cleaner or Poulitce Powder with Liquid Poulitce	Sealer and Coating Remover	PS/87 or SR/95*
Pencil	Porcelain and Ceramic Tile Cleaner or Poulitce Powder with Liquid Poulitce	Phosphoric Acid Cleaner with Poulitce Stain Remover	PS/87
Paint (H2O-Based)	Porcelain and Ceramic Tile Cleaner or Poulitce Powder with Liquid Poulitce	Sealer and Coating Remover	PS/87 or No Paint
<b>Grout</b> Cement, Latex/Polymer	MiraSeal GCFR, H2O Strip or Epoxy Grout Film Remover	Sulfamic Acid Crystals or Phosphoric Acid Cleaner (after 10 days on new grout) or Grout Haze Clean-up (first 1-10 days)*	Deterdek
<b>Epoxy</b>	Epoxy Grout Film Remover	Sealer and Coating Remover	PS/87

\* SR/95 for difficult to remove and colored stains.

\*\* Grout haze Clean-Up, Sulfamic Acid Crystals, and Phosphoric Acid Cleaner should not be used on polished or acid sensitive surfaces.

\*\*\* Miracle Sealants offers additional products for removal of these stains. Refer to manufacturer's literature.

## Cleaner Manufacturers Contact Information:

Miracle Sealants Company  
Aqua Mix  
Fila Chemicals

12318 Lower Azusa Road, Arcadia, CA 91006  
250 Benjamin Drive, Corona, CA 92879  
10800 NW 21st Street #170, Miami, FL 33172

Phone: 800-350-1901 Extension 3013  
Phone: 951-256-3040  
Phone: 305-513-0708